

HPMO Cylinder Offerings


For liquid MO-sources



AkzoNobel

Tomorrow's Answers Today

The corpus heights and diameters are typically standard for each cylinder volume. However, the other dimensions may vary depending on the selected valve options.



Corpus material : 316L stainless steel
Connections : 316L-4-VCR-3

For more information

Americas

Akzo Nobel Polymer Chemicals LLC
525 West Van Buren Street
Chicago, IL 60607, United States
T +1 312 5447000
F +1 312 5447188
E polymerchemicals.na@akzonobel.com

Asia Pacific

Akzo Nobel (Asia) Co. Ltd.
United Plaza, 3rd Floor
1468 Nanjing Road West
Shanghai 200040, P.R. China
T +86 21 6247 1173
F +86 21 6247 1129
E hpmo-china@akzonobel.com

EMEIA

Akzo Nobel Polymer Chemicals B.V.
Stationsstraat 77
P.O. Box 247
3800 AE Amersfoort, The Netherlands
T +31 33 4676608
F +31 33 4676101
E metalorganicsEU@akzonobel.com

www.akzonobel.com/hpmo

Cylinder volumes and dimensions

Cylinder	Gross volume (ml)	Corpus height (mm)	Diameter (mm)	Diptube height (mm)	Outlet height (mm)	Diptube outlet (mm)	Overall width (mm)
WW 150	150	108	51	235	248	83	219
WW 300	300	122	63.5	249	262	83	219
WW 400	400	108	76	235	248	83	219
WW 600	600	163	76	290	303	83	219
WW 1000	1000	168	102	295	308	83	219
WW 2300	2300	187	127	314	327	83	219
WW 3000	3000	191	153	318	331	83	219
8000	7800	400	168.3	514	527	83	220
20000	20000	400	273	486	499	83	319